

ph HORN ph



boehlerit


BOEHLERIT FRÄSEN
BOEHLERIT MILLING


2020/2021




**DAS WERKZEUG
HORN TOOLS**

Verlängerungen
Extensions
Aufnahmen
Chucks






M	d ₄ ^{H6}	d ₁	d ₂	d _A ^{H6}	α	L	h	Material-Nr. Material-No.	Bestellbezeichnung Ordering code
6	6,5	9,5	10	10	0,72°	20	60	5127650	Z 10.060 M6
6	6,5	9,5	10	10	0,36°	40	80	5127652	Z 10.080 M6
6	6,5	9,5	10	10	0,24°	60	100	5127653	Z 10.100 M6
6	6,5	9,5	10	10	0,18°	80	120	5127655	Z 10.120 M6





M	d ₄ ^{H6}	d ₁	d ₂	d _A ^{H6}	α	L	h	Material-Nr. Material-No.	Bestellbezeichnung Ordering code
8	8,5	12,8	16	16	2,29°	40	95	5087764	K 16.040 M8
8	8,5	12,8	16	16	1,53°	60	115	5088441	K 16.060 M8
8	8,5	12,8	16	16	1,15°	80	135	5088442	K 16.080 M8
8	8,5	12,8	16	16	0,92°	100	155	5088459	K 16.100 M8
8	8,5	12,8	16	16	0,76°	120	175	5088462	K 16.120 M8



M	d ₄ ^{H6}	d ₁	d ₂	d _A ^{H6}	α	L	h	Material-Nr. Material-No.	Bestellbezeichnung Ordering code
10	10,5	17,8	20	20	1,58°	40	100	5088552	K 20.040 M10
10	10,5	17,8	20	20	1,05°	60	120	5088553	K 20.060 M10
10	10,5	17,8	20	20	0,79°	80	140	5088661	K 20.080 M10
10	10,5	17,8	20	20	0,63°	100	160	5088662	K 20.100 M10
10	10,5	17,8	20	20	0,53°	120	180	5088768	K 20.120 M10

Vollhartmetall-Verlängerungen für Einschraubwerkzeug
Solid carbide extensions for screw on type milling cutter

										
M	d ₄ ^{H6}	d ₁	d ₂	d _A ^{H6}	α	L	h	L ₃	Material-Nr. Material-No.	Bestellbezeichnung Ordering code
12	12,5	23	24,3	25	0,591°	80	136	9	5088769	K 25.080 M12
12	12,5	23	24,3	25	0,449°	100	156	9	5088776	K 25.100 M12
12	12,5	23	24,3	25	0,362°	120	176	9	5088777	K 25.120 M12
12	12,5	23	24,3	25	0,303°	140	196	9	5088779	K 25.140 M12
12	12,5	23	24,3	25	0,260°	160	216	9	5088781	K 25.160 M12

										
M	d ₄ ^{H6}	d ₁	d ₂	d _A ^{H6}	α	L	h	L ₃	Material-Nr. Material-No.	Bestellbezeichnung Ordering code
16	17	29	31,5	32	0,828°	100	160	9	5088789	K 32.100 M16
16	17	29	31,5	32	0,517°	150	210	9	5088788	K 32.150 M16
16	17	29	31,5	32	0,376°	200	260	9	5088787	K 32.200 M16
16	17	29	31,5	32	0,295°	250	310	9	5088786	K 32.250 M16
16	17	29	31,5	32	0,243°	300	360	9	5088784	K 32.300 M16